



Confirmation of Product Type Approval

Please refer to the "Service Restrictions" shown below to determine if Unit Certification is required for this product. This certificate reflects the information on the product in the ABS Records as of the date and time the certificate is printed.

Pursuant to the Rules of the American Bureau of Shipping (ABS), the manufacturer of the below listed product held a valid Manufacturing Assessment (MA) with expiration date of 23/JAN/2019. The continued validity of the Manufacturing Assessment is dependent on completion of satisfactory audits as required by the ABS Rules.

And; a Product Design Assessment (PDA) valid until 05/JAN/2020 subject to continued compliance with the Rules or standards used in the evaluation of the product.

The above entitle the product to be called Product Type Approved.

The Product Design Assessment is valid for products intended for use on ABS classed vessels, MODUs or facilities which are in existence or under contract for construction on the date of the ABS Rules used to evaluate the Product.

ABS makes no representations regarding Type Approval of the Product for use on vessels, MODUs or facilities built after the date of the ABS Rules used for this evaluation.

Due to wide variety of specifications used in the products ABS has evaluated for Type Approval, it is part of our contract that; whether the standard is an ABS Rule or a non-ABS Rule, the Client has full responsibility for continued compliance with the standard.

Product Name: Valve, Ball 2 - Way Ball Valves
Model Name(s): SP Series 1, AN Series 1, SP Series 5

Presented to:

PBM, INC.
1070 SANDY HILL RD.
United States

Intended Service:

Marine and Offshore Applications - Not requiring CAT A valves.

Description:

ASME Class 150 and 300, 2 way ball valves - SP Series 1, 1/4" to 4"; AN Series 1, 1/2" to 10"; SP Series 5, 1/4" to 6"; including all ASME B16.34 materials as well as ASTM alloys C83600, C92200, (MSS SP 72) , C95300, C95400, C95500, or C95800 (manufacturer's standard only).

Tier:

3

Ratings:

Ratings are to be as specified in standards MSS SP 72 or ASME B16.34 for those valves constructed in accordance with those standards (see description above) - NOTE: valves constructed to Manufacturer's standard, at the rating given by the manufacturer, may only be used in ABS class III systems. MAWP: 3000 psi @ 200 degrees F; MDMT: -40 degrees F.

Service Restrictions:

Unit Certification is not required for this product. If the manufacturer or purchaser's request an ABS Certificate for compliance with a specification or standard, the specification or standard, including inspection standards and tolerances, must be clearly defined. Valves are not to be used in locations requiring either positive shutoff or Cat A certification. Valves constructed to the manufacturer's standard and at the manufacturer's ratings, may only be used in ABS Class III Systems. Valve end connections to be in accordance with the "Pipe Joint Limitations" tables for specific systems.

Comments:

The Manufacturer has provided a declaration about the control of, or the lack of

Notes / Documentation: Asbestos in this product. Marking of valves constructed to ASME B16.34 or MSS SP 72 are to be in accordance with those standards.
 Drawing No. ANB-H1L3V--K04, 2 2-Way 836 Bronze Ball Valve with Non-Adjust -O-Seal Design, 150# F.F. Flange Connetions, RTFE Seat, Revision: 0, Pages: 1
 Drawing No. Correspondence, Incoming Letter, Revision: -, Pages: 1
 Drawing No. Correspondence, Type Approval Application, Revision: -, Pages: 1
 Drawing No. Correspondence, Purchase Order 43539, Revision: -, Pages: 1
 Drawing No. SPB-H5Q-A--S, 2" SPB-H5 Manual 2-Way Ball Valve with Female N.P.T. connections, RTFE Seats & Seals, Monel Ball, Stem, Revision: 0, Pages: 1
 Drawing No. SPN1H1U8A--L, 2" SPN-H1, 2 Way Ball Valve with Socket Weld for Pipe End Connections, 922 Bronz Body, 90/10 Cu/Ni En, Revision: 0, Pages: 1

Term of Validity: This Product Design Assessment (PDA) Certificate 14-HS1293751-PDA, dated 06/Jan/2015 remains valid until 05/Jan/2020 or until the Rules or specifications used in the assessment are revised (whichever occurs first). This PDA is intended for a product to be installed on an ABS classed vessel, MODU or facility which is in existence or under contract for construction on the date of the ABS Rules or specifications used to evaluate the Product. Use of the Product on an ABS classed vessel, MODU or facility which is contracted after the validity date of the ABS Rules and specifications used to evaluate the Product, will require re-evaluation of the PDA. Use of the Product for non ABS classed vessels, MODUs or facilities is to be to an agreement between the manufacturer and intended client.

ABS Rules: Rules for Conditions of Classification, Part 1 - 2015 Steel Vessels Rules 1-1-4/7.7, 1-1-A3, 1-1-A4, which covers the following: Steel Vessels 4-6-1/7.1, 4-6-2/3, and 4-6-2/5.11;

National Standards: ASME B16.34 (where applicable to specific Model and Material) MSS SP 72 (where applicable to specific Model and Material);

International Standards:

Government Authority:

EUMED:

Others: Manufacturer's standard (for valves constructed of ASTM C95300, C95400, C95500, or C95800.)

Model Certificate	Model Certificate No	Issue Date	Expiry Date
PDA	14-HS1293751-PDA	08/JAN/2015	05/JAN/2020



ABS Programs

ABS has used due diligence in the preparation of this certificate and it represents the information on the product in the ABS Records as of the date and time the certificate was printed. Type Approval requires Drawing Assessment, Prototype Testing and assessment of the manufacturer's quality assurance and quality control arrangements. Limited circumstances may allow only Prototype Testing to satisfy Type Approval. The approvals of Drawings and Products remain valid as long as the ABS Rule, to which they were assessed, remains valid. ABS cautions manufacturers to review and maintain compliance with all other specifications to which the product may have been assessed. Further, unless it is specifically indicated in the description of the product; Type Approval does not necessarily waive witnessed inspection or survey procedures (where otherwise required) for products to be used in a vessel, MODU or facility intended to be ABS classed or that is presently in class with ABS. Questions regarding the validity of ABS Rules or the need for supplemental testing or inspection of such products should, in all cases, be addressed to ABS.